

# TREEHOUSE


## standing single

---



**bejot**

# TREEHOUSE standing single



**Frame, door handle and barstool leg from metal powder coated (structure)**

- RAL9010s
- RAL7047s
- RAL7045s
- RAL7024s
- RAL9005s

**Sound absorbing upholstered panels**

15 types of fabrics in a wide range of colours



**Acoustic glass**

Safety according to ČSN EN 12600 standard

**Table top**

- Laminated board

- U570
- U112
- U164
- U190
- D3798

- HPL

- white
- black

- Wooden

- oak plywood
- pine plywood




**Wooden**

- O1 (oak)
- P1 (pine)
- P2 (pine)
- P3 (pine)
- P4 (pine)

**Swivel barstool**

option



LIGHTING 



MEDIA PORT 



POWER SUPPLY 230 V 




BARSTOOL 



INDUCTIVE CHARGER 



TABLET/TELEPHONE HOLDER 



VENTILATION 



VENTILATION 

 standard

 option

Detailed information on standard/optional equipment can be found in the price list.

## LIGHTING

Efficient, **energy-saving LED** lighting adapted for reading, activated automatically due to a motion sensor. Adjustable lighting angle  $\pm 20^\circ$ . Color temperature **4300 K**, brightness **390 Lm**.

## ACOUSTICS

Special **acoustic, toughened, laminated glass** with the increased sound insulation properties  $R_w = 38$  dB (EN ISO 10140, ISO 717-1).

Due to the solutions used, **confidentiality of conversations is ensured** – persons who are outside will not be able to hear what you are talking about. At the same time, external noise in the booth is significantly reduced.

**Optimal reverberation time** inside in order to conduct conversations in the comfortable manner.

The version upholstered outside improves acoustic conditions in the room, **reducing reverberation**.

## VENTILATION

**Efficient ventilation system**, used quiet fans with an air flow of approx. **80 m<sup>3</sup>/h**.

The quantity of air has been adjusted so to ensure optimal user comfort. The system is completely **maintenance free and safe**.

**Ventilation function** – after leaving the booth, the ventilation will work for another 3 minutes to ensure comfort for the subsequent users.


## ELECTRICAL INSTALLATION

**Safe electrical installation**, components made in **12 V** standard, with a total power of **6 W**. The set includes 2.5 m power cord (plug: type E – Poland, France; type F – Germany; type G – United Kingdom).

## MEDIA PORT

The set includes a **standard PIX round media port** (white-W or black-B) ([type] 1V) with one **230 V socket** (type E – Poland, France; type F – Germany; type G – United Kingdom), it can be replaced (or added) with a **media port PIX** (white-W or black-B) (M1CC) with a **double USB socket**.


# TECHNICAL DATA



Dimensions are expressed in millimetres. Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always fulfilled.


The product sheet contains a description of the colour options, variants of the wall, floor and panel finishes, as well as the furnishing components possible to be installed.

## PACKAGE



box made of wood-based panels no. 1

H: 1320  
L: 2500  
W: 960



box made of wood-based panels no. 2

H: 1540  
L: 1200  
W: 1000

kg	THS 1S G1	THS 1T G1	THSW 1S G1	THSW 1T G1	THS 1S G2	THS 1T G2	THSW 1S G2	THSW 1T G2
net product weight	305	295	320	310	355	325	350	340
gross box weight no. 1	355	355	370	370	405	385	400	400
gross box weight no. 2	110	100	110	100	110	100	110	100

[www.bejot.eu](http://www.bejot.eu)

